







Puritan[®] **DIAGNOSTICS**

We work hand-in-hand with our diagnostic and healthcare customers to create the best single-use products to assist in reliable specimen collection and accurate diagnoses.


We offer a variety of rayon, calcium alginate, cotton, polyester, and foam-tipped applicators to meet just about any diagnostic need.

For the ultimate in collection and release – so important in diagnostics today – we offer our patented HydraFlock[®] and PurFlock Ultra[®] flocked swabs. Our proprietary manufacturing process produces the finest flocked swabs available, anywhere.

A revolutionary breakthrough in flocked swab technology

Puritan® advances an evolution in diagnostic design.


We are constantly striving to provide the most cutting-edge products for our customers. We combined user feedback with a proprietary research manufacturing process to develop our HydraFlock® and PurFlock Ultra® swabs. Incorporating our patented, intricate fiber technology, they provide the highest collection and elution capacities available on the market.



PURFLOCK ULTRA®
Tips are made of flocked polyester fibers which have the ability to better absorb organisms at the site – and maintain viability during transport and elution.



HYDRAFLOCK®
When you need to maximize sample collection and elution, choose our HydraFlock® with its "flore" structure.



VELVET-LIKE BRUSH TIP
offers optimum sample collection and rapid release into liquid media.

FULLY INTEGRATED FIBERS
Puritan's exclusive, proprietary multi-length flocked fibers are securely adhered to the shaft.

HANDLE WITH PRE-MOLDED BREAKPOINT
to accommodate different processing systems.

PATENT INFORMATION

		PurFlock Ultra®	HydraFlock®
PATENTED			
Australia	AU	2010341421	2010341422
Canada	CA	2,744,678	2,744,282
China	CN	ZL201080049991.2	ZL201080049992.7
Germany	DE	602010008035.8	602010008033.1
European	EP	2263549	2263548
Spain	ES	2263549	2263548
France	FR	2263549	2263548
Great Britain	GB	2263549	2263548
Hong Kong	HK	HK1152217	HK1152216
Italy	IT	2263549	2263548
Japan	JP	5453529	5453530 6054277
United States	US	8,420,385 9,274,029	8,334,134 9,279,747
PATENT PENDING			
United States	US	14/969,536	15/007,629



HydraFlock® Swab # 3206-H / PurFlock Ultra® Swab # 3206-U



PurFlock Ultra® Swab # 3316-U

Handles
have molded
breakpoints.



HydraFlock® Swab # 3317-H / PurFlock Ultra® Swab # 3317-U

No adhesive
residue,
or fiber
treatments
to interfere
with
collection.



HydraFlock® Swab # 3318-H / PurFlock Ultra® Swab # 3318-U

Proprietary
flock
processing
maximizes
collection,
and elution.



HydraFlock® Swab # 3406-H / PurFlock Ultra® Swab # 3406-U



HydraFlock® Swab # 3506-H / PurFlock Ultra® Swab # 3506-U



HydraFlock® Swab # 3606-H / PurFlock Ultra® Swab # 3606-U











HydraFlock® Swab # 3706-H / PurFlock Ultra® Swab # 3706-U



PurFlock Ultra® Swab # 3806-U



HYDRAFLOCK® AND PURFLOCK ULTRA® FLOCKED SWABS (PATENTED)

These patented specimen collection devices produce superior sample collection, rapid elution, and increased test sensitivity by combining a unique microstructure with innovative fibers proven to be more effective than older-style nylon products.

	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Full length	Packaging pack, weight
	non-sterile sterile					
	75788-568	25-3206-H	Elongated tip, tapered polystyrene handle, no breakpoint	19.558 x 5.563 mm 0.77 x 0.219"	150.622 mm 5.93"	10/50/1, 4 lbs
	75788-570	25-3206-U				
	89194-872	25-3306-H	Standard tip, polystyrene handle with 80 mm molded breakpoint	17.526 x 5.08 mm 0.69 x 0.2"	153.416 mm 6.04"	10/50/1, 4 lbs
	89194-893	25-3306-U				
	89194-884	3316-U	Mini tip, polystyrene handle, no breakpoint	18.415 x 3.429 mm 0.725 x 0.135"	153.416 mm 6.04"	10/100, 2 lbs
	89194-874	25-3316-H				10/50/1, 4 lbs
	89194-894	25-3316-U				
	89194-866	3317-H	Ultrafine tip, polystyrene handle with 100 mm molded breakpoint	16.746 x 3.556 mm 0.66 x 0.14"	152.908 mm 6.02"	10/100, 2 lbs
	89194-886	3317-U				10/50/1, 4 lbs
	89194-876	25-3317-H				
	89194-896	25-3317-U				
	89194-868	3318-H	Micro ultrafine tip, polystyrene handle with 100 mm molded breakpoint	7.925 x 3.556 mm 0.312 x 0.14"	153.162 mm 6.03"	10/100, 2 lbs
	89194-888	3318-U				10/50/1, 4 lbs
	89194-878	25-3318-H				
	89194-898	25-3318-U				
	89194-860	3406-H	Large tip, tapered polystyrene handle with 80 mm molded breakpoint	16.256 x 5.563 mm 0.64 x 0.219"	150.622 mm 5.93"	10/100, 3 lbs
	89194-880	3406-U				10/50/1, 4 lbs
	89194-870	25-3406-H				
	89194-890	25-3406-U				
	89428-646	3506-H	Elongated tip, tapered polystyrene handle with 80 mm molded breakpoint	19.558 x 5.563 mm 0.77 x 0.219"	150.622 mm 5.93"	10/100, 3 lbs
	89428-644	3506-U				10/50/1, 4 lbs
	89428-650	25-3506-H				
	89428-648	25-3506-U				
	10124-668	3606-H	Elongated tip, tapered polystyrene handle with 30 mm molded breakpoint	17.399 x 5.563 mm 0.685 x 0.219"	152.4 mm 6"	10/100, 3 lbs
	10124-670	3606-U				10/50/1, 4 lbs
	10124-664	25-3606-H				
	10124-676	25-3606-U				

Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®


HYDRAFLOCK® AND PURFLOCK ULTRA® FLOCKED SWABS (PATENTED), CONTINUED

	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Full length	Packaging pack, weight
	non-sterile sterile					
	89497-312	3706-H	Elongated tip, polystyrene handle with 100 mm molded breakpoint	17.399 x 5.563 mm 0.685 x 0.219"	152.4 mm 6"	10/100, 3 lbs
	89497-308	3706-U				
	89497-314	25-3706-H				10/50/1, 4 lbs
	10124-674	3806-U	Elongated tip, polystyrene handle, no breakpoint	17.399 x 5.563 mm 0.685 x 0.219"	152.4 mm 6"	10/100, 3 lbs
	10124-698	25-3806-H				
	10124-680	25-3806-U				10/50/1, 4 lbs


Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®

Did you know?


Puritan's HydraFlock® swabs are made from multi-length fibers; **each fiber is comprised of 36 strands** of a proprietary polyester blend.




PurFlock Ultra® Cross Section 120x



PurFlock Ultra® Longitudinal 1000x



HydraFlock® Longitudinal 200x



HydraFlock® Longitudinal 1000x

PURITAN PURFLOCK ULTRA®






Engineered for purity and maximal cell yield with a small sample size, PurFlock Ultra® is ideal for PCR, molecular assays, DFA testing, forensic applications, and direct antigen testing. Constructed from fiber technology that results in higher purity than traditional nylon swabs. PurFlock Ultra® swabs provide the greatest balance between purity and sample collection efficiency on the market. PurFlock Ultra® swabs are used in settings where sensitivity of diagnostic testing is key.

PURITAN HYDRAFLOCK®

Specifically engineered for a wide range of biological specimens, HydraFlock®'s unique three-dimensional microstructure design facilitates greater specimen collection and complete elution. These multi-length, split HydraFlock® fibers have a greater absorption surface area than traditional perpendicular nylon flock fibers for more rapid elution and maximal sample preservation. HydraFlock® swabs are ideal for a variety of clinical settings and diagnostic tests.









FOAM-TIPPED APPLICATORS

The applicators are well suited for a variety of clinical and DNA applications. Tips are made of medical-grade foam. Choose from a range of shapes and handle materials.

	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack, weight
	non-sterile sterile					
	89087-868	25-1406 1PF 50	Thin tip, acetal handle	13.894 x 3.581 mm 0.547 x 0.141"	152.4 mm 6"	10/5/100, 9 lbs
	76000-984	25-1506 1PF 100	Standard tip, polystyrene handle, paper wrapper	16.002 x 4.775 mm 0.63 x 0.188"	152.4 mm 6"	10/100/1, 6 lbs
	89087-866	25-1607 1PF SC	Large macrofoam tip, polypropylene handle, scored with thumb stop	25.4 x 11.25 mm 1 x 0.438"	130.81 mm 5.15"	10/50/1, 5 lbs
	82030-600	25-1805 1PF RND	Round tip, polypropylene handle	28.575 x 23.012 mm 1.125 x 0.906"	130.175 mm 5.125"	10/50/1, 6 lbs
	10808-152	2197	Cervisoft® non-abrasive tip, polystyrene handle	25.4 x 4.775 mm 1 x 0.188"	179.375 mm 7.062"	10/100, 3 lbs
	10808-156	25-2197				10/100/1, 7 lbs





POLYESTER-TIPPED APPLICATORS

Synthetic applicator tips are made of medical-grade polyester fiber carded in our factory. They contain no fatty acids or latent sugars, making them ideal for specimen transport, lab work, and diagnostic kits.

	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack, weight
	non-sterile sterile					
	95041-315	25-800 D 50	Mini tip, 0.035" diameter aluminum handle, curled end	17.45 x 1.981 mm 0.687 x 0.078"	139.7 mm 5.5"	10/50/1, 4 lbs
	10806-087	25-800 1PD 50	Mini tip, ultrafine polystyrene handle	17.45 x 1.981 mm 0.688 x 0.078"	153.97 mm 6.062"	10/50/1, 4 lbs
	95041-316	25-801 D 50	Mini tip, aluminum 0.025" diameter handle, curled end	17.45 x 1.981 mm 0.687 x 0.078"	139.7 mm 5.437"	10/50/1, 4 lbs
	10805-165	25-806 1PD	Standard tip, polystyrene handle	17.45 x 5.156 mm 0.687 x 0.203"	152.4 mm 6"	10/100/1, 6 lbs
	10808-134	25-806 2PD				10/100/2, 7 lbs
	89133-766	25-806 1PD SOLID	Standard tip, solid polystyrene handle	17.45 x 5.156 mm 0.687 x 0.203"	152.4 mm 6"	10/100/1, 6 lbs
	10805-160	25-806 1WD	Standard tip, wood handle	17.45 x 4.775 mm 0.687 x 0.188"	150.8 mm 5.937"	10/100/1, 6 lbs
	89133-768	25-806 2WD				10/100/2, 7 lbs
	89133-762	25-826 2WD	Small tapered tip, wood handle	12.7 x 3.048 mm 0.5 x 0.12"	150.8 mm 5.937"	10/100/2, 6 lbs
	89133-756	25-1000 1PD	Mini tip, scored, polyphenylene ether/polystyrene blend, tapered handle	17.45 x 1.981 mm 0.687 x 0.078"	152.4 mm 6"	10/100/1, 5 lbs







RAYON-TIPPED APPLICATORS

Ideal for diagnostic specimen collection, wound treatment, and application of medicines. Tips are made from the finest USP grade of rayon fiber carded in our facility.

	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack, weight
	non-sterile sterile					
	95041-304	25-800 R 50	Mini tip, aluminum handle, 0.035" diameter, curled end	17.45 x 1.981 mm 0.687 x 0.078"	139.7 mm 5.437"	10/50/1, 4 lbs
	95041-308	25-801 R 50	Mini tip, 0.025" diameter aluminum handle, curled end	17.45 x 1.981 mm 0.687 x 0.078"	139.7 mm 5.437"	10/50/1, 4 lbs
	10808-140	806-PR	Standard tip, polystyrene handle	17.45 x 5.156 mm 0.687 x 0.203"	152.4 mm 6"	10/10/100, 16 lbs
	10808-146	25-806 1PR				10/100/1, 6 lbs
	89133-764	25-806 1WR	Standard tip, wood handle	15.875 x 4.775 mm 0.625 x 0.188"	150.79 mm 5.937"	10/100/1, 6 lbs

CALGISWAB® CALCIUM ALGINATE-TIPPED APPLICATORS

These specialty applicators are tipped with calcium alginate fiber, an organic, biodegradable material derived from seaweed for use in patient care, wound care and diagnostics. Produced by machine or the smallest by hand, all tips in this line conform with medical device specifications. Available on wood, plastic or wire handles.


	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Full Length	Packaging pack, weight
non-sterile sterile						
	95041-302	25-800 A 50	Mini tip, 0.035" diameter aluminum handle, curled end; naso-pharyngeal applicator	11.099 x 1.981 mm 0.437 x 0.078"	138.09 mm 5.437"	10/50/1, 4 lbs
	95041-306	25-801 A 50	Mini tip, 0.025" diameter aluminum handle, curled end; urethro-genital applicator	11.099 x 1.981 mm 0.437 x 0.078"	138.09 mm 5.437"	10/50/1, 4 lbs
	10808-128	806-PA 5M	Standard tip, polystyrene handle	16.281 x 5.563 mm 0.641 x 0.219"	152.4 mm 6"	5/10/100, 9 lbs
	10808-116	806-WA 5M	Standard tip, wood handle	16.281 x 5.563 mm 0.641 x 0.219"	150.79 mm 5.937"	5/10/100, 9 lbs
	10808-126	25-806 1PA	Standard tip, polystyrene handle	17.45 x 5.563 mm 0.687 x 0.203"	152.4 mm 6"	10/100/1, 6 lbs
	10808-114	25-806 1WA	Standard tip, wood handle	16.281 x 5.563 mm 0.641 x 0.219"	150.79 mm 5.937"	10/100/1, 6 lbs

WOODEN TRANSFER DEVICE

A simple medical device to replace the common toothpick. Non-sterile or convenient sterile multi-pack for manual colony transfer for MALDI-TOF and other applications.

FEATURED PRODUCT: Wood transfer device (#28107 PTD 5/600)



	VWR Cat. No.	Puritan Item No.	Product Description	Dimensions length x diameter	Packaging pack, weight
non-sterile sterile					
	75796-936	28107 PTD 5/600	Pointed tip	73 x 2.108 mm 2.875 x 0.083"	5/600, 2 lbs
	75798-804	25-28107			10/40/26, 2 lbs

Extensive range of dry transport systems

More than ever, Puritan® is your one-stop resource.

Our dry transport systems fill out our specimen collection line. Engineered for ease of use and, as are all Puritan products, made in the USA.



MOLDED BASE

An economical choice, this simple design securely holds the swab in place.




TUBE CROSSHATCH

Our BT-style transport systems incorporate a crosshatch feature, to assure a confident grip.



SINGLE SWAB OPTION

Swab handle is held securely in cap. Unbroken label with swab inside assures sterility. Tubes are unwrapped.



DOUBLE SWAB OPTION









For applications calling for a two-swab specimen, each wrapped individually.

FEATURED PRODUCTS:














Details of our dry transport products

DRY TRANSPORT TUBE SYSTEMS

For the collection and transport of specimen when no medium is required. Single and double swab options available along with various handle and tube configurations. Single swabs are sterile and sealed in tube, double swabs are individually wrapped.








	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Packaging pack, weight
non-sterile sterile					
	10119-856	25-806 1PA BT	Standard calcium alginate-tipped swab, polystyrene handle, dry transport tube, blue cap	17.45 x 5.156 mm 0.687 x 0.203"	5/100/1, 7 lbs
	10119-860	25-806 1PC BT	Standard cotton-tipped swab, polystyrene handle, dry transport tube, pink cap	17.449 x 5.156 mm 0.687 x 0.203"	5/100/1, 7 lbs
	89427-674	25-806 1WC BT	Standard cotton-tipped swab, wood handle, dry transport tube, pink cap	15.875 x 4.775 mm 0.625 x 0.188"	5/100/1, 7 lbs
	89427-670	25-806 1PD BT	Standard polyester-tipped swab, polystyrene handle, dry transport tube, green cap	17.45 x 5.156 mm 0.687 x 0.203"	5/100/1, 7 lbs
	75791-992	25-806 2PD BT	Double standard polyester-tipped swabs, polystyrene handles, dry transport tube, black cap	17.45 x 5.156 mm 0.687 x 0.203"	10/50/2, 7 lbs
	89427-672	25-806 1PR BT	Standard rayon-tipped swab, polystyrene handle, dry transport tube, natural cap	28.575 x 12.7 mm 1.125 x 0.5"	5/100/1, 7 lbs
	75791-993	25-806 2PR BT	Double standard rayon-tipped swabs, polystyrene handles, dry transport tube, natural cap	28.575 x 12.7 mm 1.125 x 0.5"	10/50/2, 7 lbs
	89427-668	25-1506 1PF BT	Standard foam-tipped swab, polystyrene handle, dry transport tube, natural cap	16.002 x 4.775 mm 0.63 x 0.188"	5/100/1, 7 lbs

DRY TRANSPORT TUBE SYSTEMS, CONTINUED

	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Packaging pack, weight
non-sterile sterile					
	75788-572	25-1506 2PF BT	Double standard foam-tipped swabs, polystyrene handles, dry transport tube, purple cap	16.002 x 4.775 mm 0.63 x 0.188"	10/50/2, 7 lbs
	75788-578	25-1506 1PF TT MC	Standard foam-tipped swab, polystyrene handle, reclosable dry transport tube with a molded end cap	16.002 x 4.775 mm 0.63 x 0.188"	10/100/1, 10 lbs
	75788-576	25-3306-H BT	Standard flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, red cap	17.526 x 5.08 mm 0.69 x 0.2"	5/100/1, 7 lbs
	10852-164	25-3306-U BT			
	75791-994	25-3306-2H BT	Double standard flock-tipped swabs, tapered polystyrene handles with 80 mm breakpoints, dry transport tube, red cap	17.526 x 5.08 mm 0.69 x 0.2"	10/50/2, 7 lbs
	75788-574	25-3306-2U BT			
	10852-166	25-3316-H BT	Mini flock-tipped swab, tapered polystyrene handle, no breakpoint, dry transport tube, black cap	18.415 x 3.429 mm 0.725 x 0.135"	5/100/1, 7 lbs
	10852-168	25-3316-U BT			
	10852-170	25-3316-H EMB 80 BT	Mini flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, green cap	18.415 x 3.429 mm 0.725 x 0.135"	5/100/1, 7 lbs
	10852-174	25-3317-H BT	Ultrafine flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, orange cap	16.764 x 3.556 mm 0.66 x 0.14"	5/100/1, 7 lbs
	10852-176	25-3317-U BT			
	10852-288	25-3318-H BT	Ultra microfine flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, white cap	7.925 x 3.556 mm 0.312 x 0.14"	5/100/1, 7 lbs
	10852-290	25-3318-U BT			

Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®

DRY TRANSPORT TUBE SYSTEMS, CONTINUED

	VWR Cat. No.	Puritan Item No.	Product Description	Tip length x diameter	Packaging pack, weight
non-sterile sterile					
	10852-292	25-3406-H BT	Large flock-tipped swab, tapered polystyrene handle with 80 mm breakpoint, dry transport tube, red cap	16.256 x 5.563 mm 0.64 x 0.219"	5/100/1, 7 lbs
	89402-812	25-3406-U BT			
	75798-810	25-3606-H BT	Elongated flock-tipped swab, tapered polystyrene handle with 30 mm breakpoint, dry transport tube, white cap	17.399 x 5.563 mm 0.685 x 0.219"	5/100/1, 7 lbs
	10860-931	25-3606-U BT			
	10852-294	25-3706-H BT	Elongated flock-tipped swab, tapered polystyrene handle with 100 mm breakpoint, dry transport tube, white cap	17.399 x 5.563 mm 0.685 x 0.219"	5/100/1, 7 lbs
	10852-296	25-3706-U BT			
	10852-300	25-3806-U BT	Elongated flock-tipped swab, tapered polystyrene handle, no breakpoint, dry transport tube, white cap	17.399 x 5.563 mm 0.685 x 0.219"	5/100/1, 7 lbs

Please note: In the product numbers above, the letter H stands for HydraFlock® and U stands for PurFlock Ultra®

Opti-Tranz® & Opti-Tranz® Plus Collection & Transport Systems

The right swab, the right medium for every application.

These collection and transport systems for bacteriological applications are perfect for collection from various specimen sites and easy transport back to the lab.

PRODUCT INTEGRITY

A distinctive label describing product identity, expiry date, patient identification, and collection information.

TIP TYPE & SIZE

Choose from standard or mini rayon tips. HydraFlock® tips are only available in the Opti-Tranz® Plus line.

4 ML AMIES GEL MEDIUM

Available with or without charcoal. Charcoal neutralizes fatty acids that are toxic to microorganisms.

DOUBLE ACTION SECURITY CAP

Prevents samples from leaking or drying out.

PURITAN® EXCLUSIVE

Only product of its kind on the market available with HydraFlock®.

1 ML LIQUID MEDIA

Choose from Liquid Amies or Liquid Stuart absorbed in polyurethane foam sponge.



FEATURED PRODUCTS:

Left: Puritan Opti-Tranz® Amies Gel Collection & Transport System (ACL-61PR)

Right: Puritan Opti-Tranz® Plus Liquid Stuart Collection & Transport System (#LS-62-H)

TIP GUIDE

Available with our standard or mini tips, with flexible or soft aluminum wire handles for smaller, more delicate areas.



PURITAN OPTI-TRANZ® & OPTI-TRANZ® PLUS LIQUID AMIES COLLECTION & TRANSPORT SYSTEMS

Ideal for direct aerobic culture, gram staining and rapid detection tests. All transport systems are individually wrapped.

	VWR Cat. No.	Puritan Item No.	Product Description	Fill Volume, Medium	Packaging pack, weight
OPTI-TRANZ®					
non-sterile sterile					
	10860-994	LA-61PR	Standard rayon-tipped swab, polystyrene handle (806-PR)	1 ml, Liquid Amies	10/50, 17 lbs
	10860-996	LA-62PR	Double standard rayon-tipped swabs, polystyrene handles (805-2PR)	1 ml, Liquid Amies	10/50, 17 lbs
	10860-998	LA-61AR	Miniature rayon-tipped swab, flexible aluminum wire handle (800 R)	1 ml, Liquid Amies	5/50, 10 lbs
	10861-000	LA-61SAR	Miniature rayon-tipped swab, soft aluminum wire handle (801 R)	1 ml, Liquid Amies	5/50, 10 lbs
OPTI-TRANZ™ PLUS					
	10860-986	LA-61-H	Elongated HydraFlock®-tipped swab, polystyrene handle, no breakpoint (3206-H)	1 ml, Liquid Amies	10/50, 17 lbs
	10861-006	LA-62-H	Double elongated HydraFlock®-tipped swabs, polystyrene handles, no breakpoint (3206-2H)	1 ml, Liquid Amies	10/50, 17 lbs









PURITAN OPTI-TRANZ® & OPTI-TRANZ® PLUS LIQUID STUART COLLECTION & TRANSPORT SYSTEMS

Liquid Stuart is a non-nutritive, general purpose medium for preservation and maintenance of aerobic bacteria, often the choice for various rapid detection tests. All transport systems are individually wrapped.

	VWR Cat. No.	Puritan Item No.	Product Description	Fill Volume, Medium	Packaging pack, weight
OPTI-TRANZ®					
non-sterile sterile					
	10861-002	LS-61PR	Standard rayon-tipped swab, polystyrene handle (806-PR)	1 ml, Liquid Stuart	10/50, 17 lbs
	10861-004	LS-62PR	Double standard rayon-tipped swabs, polystyrene handles (805-2PR)	1 ml, Liquid Stuart	10/50, 17 lbs
	10860-982	LS-61AR	Miniature rayon-tipped swab, flexible aluminum wire handle (800 R)	1 ml, Liquid Stuart	5/50, 10 lbs
	10860-984	LS-61SAR	Miniature rayon-tipped swab, soft aluminum wire handle (801 R)	1 ml, Liquid Stuart	5/50, 10 lbs
OPTI-TRANZ™ PLUS					
	10861-008	LS-61-H	Elongated HydraFlock®-tipped swab, polystyrene handle, no breakpoint (3206-H)	1 ml, Liquid Stuart	10/50, 17 lbs
	10861-010	LS-62-H	Double elongated HydraFlock®-tipped swabs, polystyrene handles, no breakpoint (3206-2H)	1 ml, Liquid Stuart	10/50, 17 lbs

PURITAN OPTI-TRANZ® AMIES GEL MEDIUM COLLECTION & TRANSPORT SYSTEMS

For aerobes, anaerobes, and fastidious bacteria. Available with or without charcoal.
All transport systems are individually wrapped.

	VWR Cat. No.	Puritan Item No.	Product Description	Fill Volume, Medium	Packaging pack, weight
OPTI-TRANZ®	non-sterile sterile				
	10860-932	ACL-61PR	Standard rayon-tipped swab, polystyrene handle (806-PR)	4 ml, Amies without charcoal	10/50, 17 lbs
	10860-934	ACL-62PR	Double standard rayon-tipped swabs, polystyrene handles (805-2PR)	4 ml, Amies without charcoal	10/50, 17 lbs
	10860-936	ACL-61AR	Miniature rayon-tipped swab, flexible aluminum wire handle (800 R)	4 ml, Amies without charcoal	5/50, 10 lbs
	10860-938	ACL-61SAR	Miniature rayon-tipped swab, soft aluminum wire handle (801 R)	4 ml, Amies without charcoal	5/50, 10 lbs
	10860-940	ACH-61PR	Standard rayon-tipped swab, polystyrene handle (806-PR)	4 ml, Amies with charcoal	10/50, 17 lbs
	10860-988	ACH-62PR	Double standard rayon-tipped swabs, polystyrene handles (805-2PR)	4 ml, Amies with charcoal	10/50, 17 lbs
	10860-990	ACH-61AR	Miniature rayon-tipped swab, flexible aluminum wire handle (800 R)	4 ml, Amies with charcoal	5/50, 10 lbs
	10860-992	ACH-61SAR	Miniature rayon-tipped swab, soft aluminum wire handle (801 R)	4 ml, Amies with charcoal	5/50, 10 lbs

Opti-Swab®

Combining Liquid Amies and Puritan's proprietary HydraFlock® for an ideal buffered environment for aerobic, anaerobic, and fastidious bacterial samples.

SAFE, INTEGRATED TRANSPORT VIAL

Transport vial is engineered and validated for integrated use with traditional and automated specimen processors. Made with superior raw materials, the vial ensures the safe collection and transport of clinical specimens.

MODIFIED LIQUID AMIES MEDIUM

Maintains viability of aerobic, anaerobic, and fastidious bacteria.

PURE SPECIMEN COLLECTION

No fiber treatment to interfere with specimen purity.

LEAK-PROOF, SELF-CENTERING CAP

Cap is designed to facilitate the capture of the swab handle for specimen processing. Color-coding ensures easy product ID.


VARIETY OF SWAB STYLES

Patented HydraFlock® swabs are available in several tip shapes and sizes.

FEATURED PRODUCTS:

This page: Puritan Opti-Swab®
Liquid Amies Collection &
Transport System (#LA-106)

Next page: Puritan UniTranz-RT®
Collection & Transport System in
1 ml (#UT-116) and 3 ml (#UT-316)



UniTranz-RT®

For the collection and preservation of clinical specimens – viruses, chlamydia, mycoplasma, and ureaplasma – for immediate testing or refrigerated storage.

LEAK-PROOF, SELF-CENTERING CAP

Cap is designed to facilitate the capture of the swab handle for specimen processing. Color-coding ensures easy product ID.

UNIVERSAL MEDIUM

Provides a pH balanced environment and contains antibiotics to inhibit bacterial or fungal contamination.

1 ML OR 3 ML

Glass beads in the collection tube ensure more rapid dispersion and elution.

OR



HANDLES

Available in styles appropriate for specific collection sites and different breakpoints for transport and processing in your lab.

VARIETY OF SWAB STYLES





Available in 3 options. PurFlock Ultra® tips or regular spun polyester. Also available with media only.

PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with PurFlock Ultra® Flocked Swabs



The most reliable choice for the collection, preservation, and transport of viruses, chlamydia, mycoplasma, and ureaplasma specimens at room temperature (RT). All kits include sterile wrapped swabs and vial.

	VWR Cat. No.	Puritan Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack, weight
non-sterile sterile						
	89233-434	UT-106	One large PurFlock Ultra®-tipped swab (25-3406-U), polystyrene handle with 80 mm breakpoint	12 x 80 mm	1 ml, Universal Transport	6/50, 12 lbs
	89233-436	UT-116	One miniature PurFlock Ultra®-tipped swab (25-3316-U), polystyrene handle with 80 mm breakpoint	12 x 80 mm	1 ml, Universal Transport	6/50, 12 lbs
	89233-438	UT-117	One ultrafine PurFlock Ultra®-tipped swab (25-3317-U), polystyrene handle with 100 mm breakpoint	12 x 80 mm	1 ml, Universal Transport	6/50, 12 lbs
	89233-440	UT-306	One elongated PurFlock Ultra®-tipped swab (25-3706-U), polystyrene handle with 100 mm breakpoint	16 x 100 mm	3 ml, Universal Transport	6/50, 16 lbs
	89233-442	UT-316	One miniature PurFlock Ultra®-tipped swab (25-3316-U), polystyrene handle with 100 mm breakpoint	16 x 100 mm	3 ml, Universal Transport	6/50, 16 lbs
	89233-444	UT-317	One ultrafine PurFlock Ultra®-tipped swab (25-3317-U), polystyrene handle with 100 mm breakpoint	16 x 100 mm	3 ml, Universal Transport	6/50, 16 lbs
	89233-446	UT-367	One elongated PurFlock Ultra®-tipped swab (25-3706-U) with polystyrene handle and 100 mm breakpoint, and one ultrafine PurFlock Ultra®-tipped swab (25-3317-U), with polystyrene handle	16 x 100 mm	3 ml, Universal Transport	6/50, 16 lbs

PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with Spun Polyester Swabs




	VWR Cat. No.	Puritan Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack, weight
non-sterile sterile						
	89233-450	UT-302	Two polyester swabs (one regular-tipped with a plastic handle, one mini tip with a plastic/wire handle, both with 100 mm breakpoint)	16 x 100 mm	3 ml, Universal Transport	6/50, 16 lbs
	89233-454	UT-361	One regular polyester-tipped swab, plastic handle with 100 mm breakpoint	16 x 100 mm	3 ml, Universal Transport	6/50, 16 lbs
	89233-448	UT-362	Two regular polyester-tipped swabs, plastic handles with 100 mm breakpoint	16 x 100 mm	3 ml, Universal Transport	6/50, 16 lbs
	89233-452	UT-366	Two polyester swabs (one regular-tipped with a plastic handle, one mini tip with a plastic handle, both with 100 mm breakpoint)	16 x 100 mm	3 ml, Universal Transport	6/50, 16 lbs

PURITAN UNITRANZ-RT® (UNIVERSAL TRANSPORT SYSTEM) with Media Only

	VWR Cat. No.	Puritan Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack, weight
non-sterile sterile						
	89233-456	UT-100	No swab, red self-centering cap, unwrapped	12 x 80 mm	1 ml, Universal Transport	6/50, 6 lbs
	89233-458	UT-300	No swab, red self-centering cap, unwrapped	16 x 100 mm	3 ml, Universal Transport	6/50, 10 lbs

PURITAN OPTI-SWAB® LIQUID AMIES TRANSPORT SYSTEM with Patented HydraFlock® Flocked Swabs

Designed for superior ease of use and performance in the collection and transport of clinically significant bacteria. Swabs are not individually wrapped.


	VWR Cat. No.	Puritan Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack, weight
non-sterile sterile						
	89239-114	LA-106	One elongated HydraFlock®-tipped swab (3506-H), polystyrene handle with 80 mm breakpoint, white self-centering cap	12 x 80 mm	1 ml, Liquid Amies	6/50, 9 lbs
	89239-116	LA-116	One miniature HydraFlock®-tipped swab (3316-H), polystyrene handle with 80 mm breakpoint, green self-centering cap	12 x 80 mm	1 ml, Liquid Amies	6/50, 9 lbs
	89239-118	LA-117	One ultrafine HydraFlock®-tipped swab (3317-H), polystyrene handle with 100 mm breakpoint, blue self-centering cap	12 x 80 mm	1 ml, Liquid Amies	6/50, 9 lbs

PURITAN OPTI-SWAB® LIQUID AMIES TRANSPORT SYSTEM with Media Only

	VWR Cat. No.	Puritan Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack, weight
non-sterile sterile						
	75801-044	LA-100	No swab, white self-centering cap, unwrapped	12 x 80 mm	1 ml, Liquid Amies	6/50, 6 lbs

PURITAN FECAL OPTI-SWAB® COLLECTION & TRANSPORT SYSTEM


Intended for use in the collection and transport of fecal and rectal swab specimens to preserve the viability of enteric bacteria during transport from the collection site to the laboratory for bacteriological examination and culture. Swab is not individually wrapped.

	VWR Cat. No.	Puritan Item No.	Product Description	Vial diameter x length	Fill Volume, Medium	Packaging pack, weight
non-sterile sterile						
	75999-268	CB-206	One elongated HydraFlock®-tipped swab (3506-H), polystyrene handle with 80 mm breakpoint, orange self-centering cap	12 x 80 mm	2 ml, Cary-Blair	6/50, 9 lbs

Fecal Opti-Swab® Collection & Transport System

Optimize your specimen collection and preservation of fecal enteric bacteria.

Puritan's Fecal Opti-Swab® features a liquid-based, ready-to-use system for rectal swabbing or direct collection from fecal sample. Simple to use – eliminates unnecessary specimen handling steps.



FEATURED PRODUCT:

Puritan Fecal Opti-Swab®
Collection & Transport
System (#CB-206)

Puritan® – a tradition of excellence

Order with confidence, knowing you will always get consistent quality, ready availability, and outstanding service. You can count on Puritan.

From our inception in 1919, our wood products operation has grown to become a state-of-the-art medical device manufacturer serving markets worldwide with Puritan's US-made products.

Our success is evident in the success of our customers. Our guarantee is to produce the highest-quality single-use products possible. Our mission is to provide our customers with unparalleled service. Our promise is to deliver – the right product, on time.

Puritan Medical Products Co.
31 School Street
PO Box 149
Guilford, Maine 04443-0149 USA

800-321-2313 (US & Canada)
207-876-3311



1.800.932.5000 | [VWR.COM](https://www.vwr.com)

Prices and product details are current when published and subject to change without notice. | Certain products may be limited by federal, state, provincial, or local regulations. | VWR, part of Avantor, makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC and/or Avantor, Inc. or affiliates. All prices are in US dollars unless otherwise noted. Offers valid in US and Canada, void where prohibited by law or company policy, while supplies last. | Trademarks are owned by Avantor, Inc. or its affiliates, unless otherwise noted. | Visit [vwr.com](https://www.vwr.com) to view our privacy policy, trademark owners, and additional disclaimers. © 2019 Avantor, Inc. All rights reserved.