



Authorization date: Revision date:

09/17/13 01/22/14

Revision:

001

## 1. COMPANY AND PRODUCT IDENTIFICATION

Product Name:

Linearity FD Cardiac Markers, Siemens Centaur

Product Number:

K804M

Manufacturer:

Aalto Scientific, Ltd. 1959 Kellogg Avenue

Carlsbad, CA 92008, USA

Phone No.:

760-431-7922

Emergency Phone No.:

1-800-748-6674

2. COMPOSITION AND INFORMATION ON INGREDIENTS				
Components	CAS Number	Weight %	OSHA PEL:	OSHA STEL:
Human Serum	N/A	99-100%	N/A	N/A
Sodium Azide	26628-22-8	<0.1%	N/A	N/A

#### 3. HAZARD IDENTIFICATION

**Emergency Overview:** 

Does not meet EU, OSHA or WHMIS criteria for hazardous materials. Contains anti-microbial materials that could be toxic in large doses. Contains material that may be of Human origin and should be

considered potentially infectious

NFPA Ratings: Health

\*PB - Potential Blo-hazard

1 Flammability 0 Reactivity

0 Special-PB\*

Principle routes of

exposure:

Ingestion, inhalation, skin and/or eye contact

Inhalation:

May cause irritation of respiratory tract

Ingestion:

May cause gastrointestinal irritation, nausea, vomiting and diarrhea

Skin Contact:

Substance may cause slight skin irritation

Eye contact:

May cause irritation

#### 4. FIRST AID MEASURES

Inhalation:

Consult a physician. Move to fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen

ingestion:

Call a physician. Do not induce vomiting without medical advice.

Skin Contact:

Wash off immediately with plenty of water for at least 15 minutes. If skin

irritation persists, call physician.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for 15

minutes

Form Number: Rev: New

055

Page 1 of 4 Linearity FD Cardiac Markers, Siemens Centaur



FIRE – FIGHTING MEASURES

Extinguishing Media: **Protective Equipment**  Use dry chemical, CO2, water spray or "alcohol" foam.

In the event of fire, wear self-contained breathing apparatus

ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Use universal precautions (gloves, goggles, and face shields) during

clean up procedures

**Environmental** Precautions:

for Firefighters:

Contain spill to prevent migration

As a precautionary measure, treat spilled material with a 1:10

Spill and Leak Precautions:

bleach/water solution. Absorb liquid and place in container suitable for disposal. Avoid generation of aerosols during clean up. Comply with

applicable waste disposal regulations

7. HANDLING AND STORAGE

Handling:

Protect from contamination. Wear personal protective equipment. For

human sours material, handle as if contains infectious material

Storage:

Keep containers dry and lightly closed to avoid moisture absorption and

contamination

### **B. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Personal Protective Equipment:

Respiratory protection is not required under normal use of this product.

Respiratory protection:

If respiratory protection is needed, follow the OSHA regulation, 29CFR1910.134. Always use a NIOSH approved respirator when

necessary

Hand protection:

Wear appropriate protective gloves to prevent skin contact. Replace torn

or punctured gloves promptly

Skin and Body protection:

Wear appropriate body protection to prevent body contact

Eye protection:

Hygiene measures:

Wear appropriate eye protection to prevent eye contact

When using, do not eat, drink or smoke. Keep away from food and drink. Keep away tobacco products. Wash hands before breaks and immediately after handling the product. Handle in accordance with good

industrial hygiene and safety practice for diagnostics

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid

Boiling Point: Melting Point: No information available No information available

PH:

Neutral

Flash Point: LEL (%)

UEL (%)

No information available

Not determined Not determined

Form Number: 055

Rev: New

Page 2 of 4 Linearity FD Cardiac Markers, Stemens Confaur



#### 10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions

Thermal decomposition can lead to release of irritating gases and Hazardous vapors. Metals and metallic compounds: Sodium azide forms explosive

incompatibilities/ compounds with heavy metals. Repeated contact of low concentrations Decomposition: of azide with lead and copper commonly found in plumbing drains may

result in the build up of shock sensitive compounds

Keep away from Incompatible material Conditions to avoid:

Materials to avoid: Incompatible with strong acids and bases

## 11. TOXICOLOGICAL INFORMATION

Sodium Azide LD50/LC/50:

Toxicity data for hazardous ingredients: 20 mg/kg Dermal Rabbit 27 mg.kg Oral Mouse 27 mg/kg Oral Rat

ACGIH STEL: 0.11 ppm Ceiling.

**Primary Routes of** Exposure:

The most likely routes of exposure are skin and eye contact and

inhalation.

Potential Effects of Acute Exposure:

Material may be absorbed through the skin if skin is raw or damaged This product contains materials of human origin and should be considered as potentially capable of transmitting infectious diseases

Potential Effects of Chronic Exposure: Symptoms of

Effects are similar to those for acute exposure

Overexposure:

Carcinogenicity:

No specific symptoms identified

Other effects:

No ingredients in this product are listed as carcinogens by ACGIH.

IARC, NTP, OSHA or 67/548/EEC Annex I

Conditions aggravated

None identified

by Exposure:

None identified

## 12. ECOLOGICAL INFORMATION

Bio-accumulation:

**Eco-toxicity effects:** 

No data available

Aquatic toxicity:

Sodium Azide: LC50 daphnia pulex 4.2mg/L/96 hr; LC50 rainbow trout

0.8-1.6 mg/L/96 hr No data available

## 13. DISPOSAL CONSIDERATIONS

Waste Disposal:

Dispose of waste product, unused product and contaminated packaging in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.

Form Number: Rev New

Unearity FD Cardiac Markers, Siemens Contaur



### 14. TRANSPORT INFORMATION

Transportation of this product is not regulated under ICAO, IATA, US DOT, European ADR or Canadian TDG

concentration.

#### 15. REGULATORY INFORMATION

U.S. Federal Regulations:

This Product does not contain any chemicals currently listed on the

Section 302/312, SARA Title III above the OSHA de minimis

U.S. CERCLA/SARA/TSCA Regulatory Information:

This product does not contain any chemicals currently listed with a

CERCLA RQ above the OSHA de minimis concentration.

U.S. Clean Water Act (CWA)/ California Proposition 65

This product contains trace amounts of the following substances known to the State of California to cause Cancer and/or reproductive harm: None

## 16. OTHER INFORMATION

Reason for revision:

References:

N/A N/A

Additional advice:

N/A

Prepared by:

Aalto Scientific, Ltd., Department of Quality Assurance

MSDS Contact: 760-431-6942 / ext. 122

eslu Brown

Approved by:

Aalto Scientific, Ltd., Safety Committee Officer

The information, data and recommendations contained herein are based upon information believed by Aelto Scientific, after reasonable investigation and research, to be accurate; however, Aalto Scientific does not warrant the accuracy of the information. The information should be used only as a guide. All materials and mixtures may present unknown hazard and should be used with caution. When necessary or appropriate, independent opinions regarding the risk of handling or exposure should be obtained from trained professionals. Aallo Scientific, shall not be held liable for any damage resulting from handling or from contact with the acove product.

END OF SAFETY DATA SHEET

Form Number:

Rev: New

Page 4 of 4 Unearity FD Cardiac Markers, Stemens Centaur